



# भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

No. AAI/NOC/2014/176 /6268-72 Date: 30/6/2014

Mahender Kumar

SCO 50 & 51, Old Judicial Complex,  
Parnami Tower, 3rd Floor,  
Civil Lines, Gurgaon

## NO Objection Certificate for Height Clearance

This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order SO84 (E) dated 14th Jan. 2010 for Safe and Regular Aircraft Operations.

### 1. References:

NOCID PALM/NORTH/B/061014/41148

Applicant Letter Dated 03.02.2014

AAI Reference

### 2. NOC Details for Height Clearance:

Applicant Name Mahender Kumar

Type of Structure Building

Site Address Village Hayatpur, Sectpr-95-A, Gurgaon.

Site Address

Site Cordinates 28 25 15N -76 55 45E

Site Cordinates

Site Elevation AMSL in Mtrs 217 Mtrs Two Hundred Seventeen only

Permissible height above Ground Level in Mtrs 48.95 Mtrs Forty Eight Decimal Nine Five only

Permissible Top Elevation AMSL in Mtrs 265.95 Mtrs Two Hundred Sixty Five Decimal Nine Five Only

### 3. This NOC is subject to the terms and conditions as given below:

- The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will be invalid.
- The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by buildings and trees etc.) Rules, 1994.
- No radio/TV Antenna, lighting arresters, staircase, Mumtee, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation 265.95 Mtrs, indicated in para 2.
- The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.
- The certificate is valid for a period of 5 years from the date of its issue. If the

<http://203.145.141.163:83/nocas/NOCLetterForBuilding2.aspx?nocID=PALM/NORTH/B/...> 6/30/2014

क्षेत्रीय मुख्यालय, उत्तरी क्षेत्र, प्रचालन कार्यालय, गुडगांव रोड, नई दिल्ली-110037 दूरभाष : 25652447 फ़ैक्स : 25656451  
Regional Headquarters, Northern Region, Operational Offices, Gurgaon Road, New Delhi-110037 Tele.: 25652447 Fax : 25656451

"हिन्दी पत्रों का स्वागत है।"